





IC COB STRIP SEAMLESS LED STRIP





NONVISIBLE ON BOARD
IC CONTROLLER



IC COB STRIP

SEAMLESS LED STRIP		2700K	3000K	4000K	6000K
--------------------	--	-------	-------	-------	-------

8W/M

50K
LIFESPAN (HRS)



3 YEAR WARRANTY

CE & ROHS

IP65

DIMMABLE

24V

COB LED

CRI 90

FEATURES & BENEFITS

- 8W/m COB Strip (Chip on Board Strip)
- Seamless light
- Dot free array – continuous light output from LED Chips
- Nonvisible LED Chips
- 24V Super bright LED Strip
- 3 Step
- Single Binning
- IP65 Rating
- Dimmable
- Suitable for professional installations
- Available in 40 Metre, 20 Metre, 10 Metre, 5 Metre Reel
- Constant Voltage
- Available in 2700K, 3000K, 4000K, 6000K
- 3 year warranty

COMPATIBLE CONTROLLERS



RF RGBW / SINGLE REMOTE MULTI RF CONTROLLER



WALL CONTROLLERS

IP65 Rated for Indoor use only (Kitchens and Bathrooms), not suitable for outdoor use.

SPECIFICATIONS

Product Code	Power	Colour	Lumens	Cutting Space	Dimensions
UNO-COB2-27K-10M/20M/40M-IP	8W/m	2700K	820lm/m	55.56mm	10 x 40000
UNO-COB2-3K-5M/10M/20M/40M-IP	8W/m	3000K	840lm/m	55.56mm	10 x 40000
UNO-COB2-4K-5M/10M/20M/40M-IP	8W/m	4000K	860lm/m	55.56mm	10 x 40000
UNO-COB2-6K-10M/20M/40M-IP	8W/m	6000K	880lm/m	55.56mm	10 x 40000



10mm Single
End Connector



10m Double
End Connector



L CONNECTOR



2m Single
End Connector



2m Double
End Connector




Strip to Strip
Connector

8W/M 24V IC COB LED STRIP ACCESSORIES

DRIVER REFERENCE TABLE

It is recommended to run a maximum of 20 metres continuously to avoid any voltage drop and leave a 20% tolerance on a driver.



COB-10L	10MM COB CONNECTORS L Shape/Corner Connectors
COB-10DEND	10mm Double End Wire connector - 150mm cables for both End connectors
COB-10STS	10mm COB Strip to Strip Single Colour Connector
COB-2MSEND	10mm Single End 2 Metre Connector
COB-2MDEND	10mm Double End 2 Metre Connector