


NICO



COLOUR SWITCHABLE



COLOUR SWITCHABLE
DRIVER



5W CCT NICO




MINI BAFFLE DOWNLIGHT

5W	30K LIFESPAN (HRS)	CRI 90	⚡ AC200-240V	24° BEAM ANGLE
IP44	BRIDGELUX CHIP	CLASS II	2 YEAR WARRANTY	UGR 10

FEATURES & BENEFITS		DIMENSIONS	
• 5W Mini Downlight • 430 Lumens • IP44 Rated • LED CHIP – Bridgelux • Beam Angle 24° • Use as a ambient, accent or task lighting • Reflector Lens • Low power consumption • Finish – Matt White	• Two baffles included - White & Black • Low glare light output achieved when both baffles used, it creates a softer tone which is ideal for highlighting features or areas of usage • CCT Colour Switchable 2800K / 4000K / 6000K • Individual through-hole dimmable driver available • Suitable for Standard ceilings, Vaulted ceilings, High ceilings, Soffits • 2 year warranty		
		DRIVER DIMENSIONS	

SPECIFICATIONS						
Product Code	Finish	Power	Colour	Output	Dimension	Cutout
NICO-5W-CCTWHT	Matt White	5W	2800K/4000K/6000K	36V / 100ma	84.5 x 23 x 22	45
Product Code	Description	Output Voltage		Dimension		
NICO-DIM	Dimmable Driver	2-6V		68 x 26 x 21		

FEATURES



WHITE BAFFLE



BLACK BAFFLE



CCT COLOUR SWITCHABLE DRIVER



MATT WHITE



DARK BRONZE



MATT GOLD



MATT BLACK