

ACCESSORIES



Spike



Wall Plate



LEO 5W

SPIKE LIGHT

5W



24° BEAM ANGLE

CREE CHIP

50K LIFESPAN (HRS)

IP65

LM80



AC85-265V

CE & ROHS

2 YEAR WARRANTY




2M RUBBERISED CABLE

FEATURES & BENEFITS

- 5W Spike Light
- Upto 450 lumens
- IP65 Rated
- Integrated Driver
- Die Cast Aluminium Body
- Halogen Lens
- Pre flexed 2m cable
- CREE Chip
- Suitable for wall & ground mounting
- Supplied with Spike & Wall Plate
- Available in 3000K & 4500K
- Use as a spotlight, accent or ambient light
- Ability to be tilted which enables to precisely control the beam of light
- 2 year warranty

DIMENSIONS



SPECIFICATIONS

Product Codes	Colour	Input Voltage	Lumens	Dimension
LEO-5W-3K	3000K	AC85-265V	400lm	Φ47 × L88 × H85mm
LEO-5W-45K	4500K	AC85-265V	450lm	Φ47 × L88 × H85mm

FEATURES



ACCESSORIES



Spike



Wall Plate



LEO 10W

SPIKE LIGHT

10W



BEAM ANGLE

CREE CHIP

50K
LIFESPAN (HRS)

IP65

LM80



AC85-265V

CE & ROHS

2 YEAR WARRANTY




2M RUBBERISED CABLE

FEATURES & BENEFITS

- 10W Spike Light
- Upto 900 lumens
- IP65 Rated
- Integrated Driver
- Die Cast Aluminium Body
- Halogen Lens
- Flexed 3m cable
- CREE Chip
- Suitable for wall & ground mounting
- Supplied with Spike & Wall Plate
- Available in 3000K
- Use as a spotlight, accent or ambient light
- Ability to be tilted which enables to precisely control the beam of light
- 2 year warranty

DIMENSIONS



SPECIFICATIONS

Product Codes	Colour	Input Voltage	Lumens	Dimension
LEO-10W-3K	3000K	AC85-265V	900lm	Φ64×L138×H100MM

FEATURES

LEO 10W

